



## BBBG2.MH46367 Capacitors, Electrochemical - Component

[Page Bottom](#)

### Capacitors, Electrochemical - Component

[See General Information for Capacitors, Electrochemical - Component](#)

#### LS MTRON LTD

MH46367

LS MTRON HI-TECH CENTER


116, LS-RO, DONGAN-GU

ANYANG-SI, GYEONGGI-DO 431-831 REPUBLIC OF KOREA

Model	Single Capacitor	Capacitor Module	Stationary Use Only	Controlled Environment Temp Limits, °C*	Capacitance, F	Voltage
LSUC 2.8V 100F	X	—	—	—	100	2.8
LSUC 2.8V 120F	X	—	—	—	120	2.8
LSUC 2.8V 350F	X	—	—	—	350	2.8
LSUC 2.8V 400F	X	—	—	—	400	2.8
LSUC 2.8V 450F	X	—	—	—	400	2.8
LSUC 2.5V 110F	X	—	—	—	110	2.5
LSUC 2.5V 320F	X	—	—	—	320	2.5
LSUC 2.5V 380F	X	—	—	—	380	2.5
LSUC 2.8V 1000F	X	—	—	—	1000	2.8
LSUC 2.8V 1700F	X	—	—	—	1700	2.8
LSUC 2.5V 2800F	X	—	—	—	2800	2.5
LSUC 2.8V 3000F	X	—	—	—	3000	2.8
LSUC 3.0V 3000F	X	—	—	—	3000	3.0
LSUM 050R4P 0166F	—	X	—	—	166	50.4
LSUC 2.7V 0650F	X	—	—	—	650	2.7
LSUC 2.7V 1200F	X	—	—	—	1200	2.7
LSUC 2.7V 1500F	X	—	—	—	1500	2.7
LSUC 2.7V 2000F	X	—	—	—	2000	2.7
LSUC 2.7V 3000F	X	—	—	—	3000	2.7
LSUC 2.85V 0650F	X	—	—	—	650	2.85
LSUC 2.85V 1200F	X	—	—	—	1200	2.85
LSUC 2.85V 1500F	X	—	—	—	1500	2.85
LSUC 2.85V 2000F	X	—	—	—	2000	2.85
LSUC 2.85V 3000F	X	—	—	—	3000	2.85

Note: Some of the models above may use suffix "A1" that is used to specify the terminal type.

\* Only applicable to capacitors or capacitor modules for use in "stationary only" applications that are located in controlled environments.

Marking: Company name or trademark, model designation and the Recognized Component Mark 

[Last Updated](#) on 2015-06-11

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".